ACCESS CONTROL PEDESTALS

PRISM ENGINEERING

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SWAN NECK STYLE PEDESTALS

RECTANGULAR PEDESTALS

ANPR PEDESTALS

TUBULAR PEDESTALS

CUSTOM SHAPE PEDESTALS

EMERGENCY MUSTER POINTS

SWAN NECK STYLE PEDESTALS — Pages 5-6

5 SINGLE HEIGHT SWAN NECK STYLE PEDESTALS

6 DUAL HEIGHT SWAN NECK STYLE PEDESTALS

RECTANGULAR PEDESTALS — Pages 9-16

9 SURFACE MOUNT 100x50 GALVANISED PEDESTAL - 1200mm

10 SURFACE MOUNT 100x50 STAINLESS STEEL PEDESTAL - 1200mm

11 SURFACE MOUNT VEHICULAR HEIGHT STAINLESS STEEL PEDESTAL - 1200mm

12 SURFACE MOUNT PEDESTRIAN HEIGHT STAINLESS STEEL PEDESTAL - 1500mm

13 FLUSH MOUNT VEHICULAR HEIGHT PEDESTAL STYLE

15 FLUSH MOUNT PEDESTRIAN HEIGHT PEDESTAL STYLE

16 FLUSH MOUNT DUAL HEIGHT PEDESTAL STYLE

ANPR PEDESTALS — Page 19

19 ANPR CAMERA MOUNTING PEDESTAL STYLE

TUBULAR PEDESTALS — Pages 20-24

20 SLOPED TOP PEDESTAL STYLE

22 TUBULAR FLUSH MOUNT PEDESTAL STYLE

24 TUBULAR FLUSH MOUNT POWDER COATED PEDESTAL STYLE

CUSTOM SHAPE PEDESTALS — Pages 25-28

25 SLOPED FLUSH MOUNT PEDESTAL STYLE

27 CUSTOM ENTRY PEDESTAL TYPE 1 STYLE

28 CUSTOM VIDEO INTERCOM PEDESTAL

EMERGENCY MUSTER POINTS — Pages 31-39

31 MUSTER POINT TOWER 1.7M HIGH TUBULAR STYLE

32 MUSTER POINT TOWER 2.3M HIGH TUBULAR STYLE

33 MUSTER POINT TOWER 1.7M HIGH SQUARE STYLE

35 MUSTER POINT TOWER 2.3M HIGH SQUARE STYLE

37 MUSTER POINT WALL MOUNTED STYLE

39 EMERGENCY CALL STATION TOWER SQUARE STYLE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SWAN NECK SINGLE HEIGHT PEDESTAL

PED-9881-SS

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Ideal for Gate Entry points
- Devices to be surface mounted
- Standard Mounting plate

SPECIFICATION

Dimensions	• Height: - Vehicular Height - 1020.0 mm • Section: Ø50.8 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• 4.7kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS



Weather Cowl*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SWAN NECK DOUBLE HEIGHT PEDESTAL

PED-9563-SS

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Ideal for Gate Entry points
- Devices to be surface mounted
- Standard Mounting plate

SPECIFICATION

Dimensions	• Height: - 2100.0 mm • Section: Ø76.2 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• 9.7kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS



Weather Cowl*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SURFACE MOUNT 100X50 GALVANISED PEDESTAL - 1200

PED-10050G-12

FEATURES

- Hot Dipped Galvanised Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be surface mounted

SPECIFICATION

Dimensions	• Height: 1200.0 mm • Section: W100.0 x D50.0 mm
Material	• Hot Rolled Steel • Finish - Hot Dipped Galvanised
Weight	• 9.3kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Mounting Root Cage*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SURFACE MOUNT 100X50 PEDESTAL – 1200

PED-10050SS-12

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be surface mounted
- Fixing Holes can be drilled to suit your equipment

SPECIFICATION

Dimensions	• Height: 1200.0 mm • Section: W100.0 x D50.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• 8.2kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SURFACE MOUNT VEHICULAR HEIGHT PEDESTAL - 1200

PED-1505OSS-12

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be surface mounted
- Fixing Holes can be drilled to suit your equipment

SPECIFICATION

Dimensions	• Height: 1200.0 mm • Section: W150.0 x D50.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• 8.9kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SURFACE MOUNT PEDESTRIAN HEIGHT PEDESTAL – 1500

PED-1505OSS-15

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be surface mounted
- Fixing Holes can be drilled to suit your equipment

SPECIFICATION

Dimensions	• Height: 1500.0 mm • Section: W150.0 x D50.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• 10.7kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

FLUSH MOUNT VEHICULAR HEIGHT PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Fixing Holes and bracketry designed to suit your equipment
- Service Access Door at the back

SPECIFICATION

Dimensions	• Recommended Heights: - Vehicular Height - 1200.0 mm • Section: W150.0 x D100.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 12.0kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

FLUSH MOUNT PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Fixing Holes and bracketry designed to suit your equipment
- Service Access Door at the back

SPECIFICATION

Dimensions	• Recommended Heights: - Pedestrian Height - 1500.0 mm • Section: W150.0 x D100.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 14.0kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

DUAL HEIGHT RECTANGULAR PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Allows installation of the equipment at car and truck levels
- Can be used for a variety of access control devices and intercoms
- Devices to be flush mounted
- Fixing Holes and bracketry designed to suit your equipment
- Service Access Door at the back

SPECIFICATION

Dimensions	• Recommended Height: - between 2100.0 mm and 2300.0mm • Section: W150.0 x D100.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 18.0kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

ANPR CAMERA MOUNTING PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of ANPR cameras
- Devices to be flush mounted
- Removable front plate optional
- Fixing Holes and bracketry designed to suit your equipment
- Door access at the back optional

SPECIFICATION

Dimensions	• Recommended Heights: - 800.0mm • Section: Ø204.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 10kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

TUBULAR FLUSH MOUNT PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Removable front plate optional
- Fixing Holes and bracketry designed to suit your equipment

SPECIFICATION

Dimensions	• Recommended Heights: - Pedestrian Height - 1500.0 mm - Vehicular Height - 1200.0 mm • Section: Ø154.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 10kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

TUBULAR FLUSH MOUNT POWDER COATED PEDESTAL STYLE

FEATURES

- Anthracite Grey Textured Finish
- Electrostatic powder coated Stainless Steel 304 Grade
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Removable front plate optional
- Service access at the back optional
- Fixing Holes and bracketry designed to suit your equipment

SPECIFICATION

Dimensions	• Recommended Heights: - Pedestrian Height - 1500.0 mm - Vehicular Height - 1200.0 mm • Section: Ø154.0 mm
Material	• Stainless Steel 304 Grade • Finish - Electrostatic Powder Coated - RAL 7016
Weight	• approx. 10kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating to another RAL colour*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SLOPED TOP PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Can be used for a variety of ANPR cameras
- Devices to be flush mounted
- Removable front plate optional
- Integrated mounting plate (mounting sleeve style)
- Fixing Holes and bracketry designed to suit your equipment
- Door access at the back optional

SPECIFICATION

Dimensions	• Recommended Heights: - 1250.0mm • Section: Ø154.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 9.0kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

SLOPED FLUSH MOUNT PEDESTAL STYLE

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Sloped shape
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Fixing Holes and bracketry designed to suit your equipment
- Service Access Door at the back

SPECIFICATION

Dimensions	• Recommended Heights: - Pedestrian Height - 1500.0 mm - Vehicular Height - 1200.0 mm • Section: W150.0 x D100.0 mm • Reach: to clients specific
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 14.0kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Base Plate Cover*

Mounting Root Cage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

CUSTOM ENTRY PEDESTAL TYPE 1 STYLE

FEATURES

- Anthracite Grey Textured Finish
- Electrostatic powder coated Stainless Steel 304 Grade
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Suitable for both, internal and external use
- Devices to be flush mounted
- Integrated mounting plate
- Removable front and back mounting plates optional
- Service access at the back optional
- Fixing Holes and bracketry designed to suit your equipment

SPECIFICATION

Dimensions	• Recommended Heights: - Vehicular Height - 1400.0 mm • Section: - Upper: 400.0 x 240.0mm - Lower: 185.0 x 240.0mm
Material	• Stainless Steel 304 Grade • Finish - Electrostatic Powder Coated - RAL 7016
Weight	• approx. 25kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Powder Coating to another RAL colour*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

CUSTOM VIDEO INTERCOM PEDESTAL

FEATURES

- Stainless Steel Brushed Finish
- Aesthetically pleasing and durable
- Allows installation of the equipment at car and truck levels
- Can be used for a variety of access control devices and intercoms
- Devices to be flush mounted
- Fixing Holes and bracketry designed to suit your equipment
- Service Access Door at the back

SPECIFICATION

Dimensions	• Recommended Heights: - Vehicular Height - 1200.0 mm - Pedestrian Height - 1500.0 mm • Section: W300.0 x D150.0 mm
Material	• Stainless Steel 304 Grade • Finish - Brushed, 320 Grit
Weight	• approx. 10kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Powder Coating to RAL colour*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

MUSTER POINT TOWER 1.7M HIGH TUBULAR STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate and top cap for easy installation
- Door access at the back
- Integrated mounting base (mounting sleeve)

SPECIFICATION

Dimensions	• Height: - 1700.0 mm excl. strobe • Section: - Standard - Ø154.0 mm - Large - Ø204.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 6032 Smooth • Reflective signage
Weight	• approx. 19.5kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

MUSTER POINT TOWER 2.3M HIGH TUBULAR STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate and top cap for easy installation
- Door access at the back
- Integrated mounting base (mounting sleeve)

SPECIFICATION

Dimensions	• Height: - 2300.0 mm excl. strobe • Section: - Standard - Ø154.0 mm - Large - Ø204.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 6032 Smooth • Reflective signage
Weight	• approx. 23.5kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

MUSTER POINT TOWER 1.7M HIGH SQUARE STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate and top cap for easy installation
- Door access at the back
- Integrated mounting base

SPECIFICATION

Dimensions	• Height: - 1700.0 mm excl. strobe • Section: - Standard - 250.0 mm - Large - 300.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 6032 Smooth • Reflective signage
Weight	• approx. 40kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

MUSTER POINT TOWER 2.3M HIGH SQUARE STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate and top cap for easy installation
- Door access at the back
- Integrated mounting base

SPECIFICATION

Dimensions	• Height: - 2300.0 mm excl. strobe • Section: - Standard - 250.0 mm - Large - 300.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 6032 Smooth • Reflective signage
Weight	• approx. 40kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

MUSTER POINT WALL MOUNTED STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate
- Cable entry points at the back (2 x Ø20mm)

SPECIFICATION

Dimensions	• Height: - 650.0 mm excl. strobe • Section: - Standard - Ø154.0 mm - Large - Ø204.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 6032 Smooth • Reflective signage
Weight	• approx. 6.8kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

EMERGENCY CALL STATION TOWER SQUARE STYLE

FEATURES

- Electrostatic powder coated 304 Grade stainless steel
- Reflective signage
- Aesthetically pleasing and durable
- Can be used for a variety of access control device and intercoms
- Devices to be flush or surface mounted
- Removable front plate and top cap for easy installation
- Door access at the back
- Integrated mounting base

SPECIFICATION

Dimensions	• Height: - 2700.0 mm excl. strobe • Section: - Standard - 250.0 mm - Large - 300.0 mm
Material	• Stainless Steel 304 Grade • Finish - RAL 5023 Smooth • Reflective signage
Weight	• approx. 60kg

Devices such as intercoms, card readers, strobes, etc. are not supplied by Prism Engineering Ltd.

ADDITIONAL OPTIONS

Weather Cowl*

Mounting Root Cage*

Custom Signage*

Powder Coating*

316 Marine Grade*

*Additional costs and lead times apply

WE DESIGN AND MANUFACTURE

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |

Designed to accomodate all worldwide recognized security access control systems.

keep in touch

Prism Engineering Ltd.
19 Ballymount Road,
Walkinstown - Dublin 12
Rep. of Ireland
Eircode - D12 K275

Ph : +353 (0)1 456 5424

www.prismengineering.ie
sales@prismengineering.ie

© Prism Engineering Ltd. - All Rights Reserved 2023 | Data subject to change without prior notice |